

|   | Type | L # | Hits | Search Text                                                                                                                  | DBs                                                         | Time Stamp       | Comments | Error Definition                                                               | Errors |
|---|------|-----|------|------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------------|----------|--------------------------------------------------------------------------------|--------|
| 1 | BRS  | L1  | 645  | (429/12-46.ccls. or h01m008\$.ipc.) and ((seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with (bead or spac\$3))   | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 13:02 |          |                                                                                | 0      |
| 2 | BRS  | L2  | 6    | (429/12-46.ccls. or h01m008\$.ipc.) and ((seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with (bead with spac\$3)) | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 13:05 |          | The search/retrieval could not be aborted because it is not currently pending. | 1      |
| 3 | BRS  | L3  | 24   | (429/12-46.ccls. or h01m008\$.ipc.) and ((seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with spher\$4)            | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 12:42 |          |                                                                                | 0      |
| 4 | BRS  | L5  | 627  | (seal\$4 or gasket\$4 or bond\$4 or adhes\$5 or adher\$5) with spacer with (good or excellent)                               | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 13:07 |          |                                                                                | 0      |

| Type | L #       | Hits | Search Text                                                                                                                         | DBs                                                            | Time Stamp           | Comments | Error Definition | Errors |
|------|-----------|------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----------------------|----------|------------------|--------|
| 5    | BRS<br>L4 | 169  | (429/12-46.ccls. or<br>h01m008\$.ipc.) and<br>((seal\$4 or gasket\$4<br>or bond\$4 or adhes\$5<br>or adher\$5) with<br>spacer)      | USPA<br>T;<br>US-P<br>GPUB<br>;<br>EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/1<br>2 13:09 |          |                  | 0      |
| 6    | BRS<br>L6 | 47   | (429/12-46.ccls. or<br>h01m008\$.ipc.) and<br>((seal\$4 or gasket\$4<br>or bond\$4 or adhes\$5<br>or adher\$5) with<br>spacing)     | USPA<br>T;<br>US-P<br>GPUB<br>;<br>EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/1<br>2 13:16 |          |                  | 0      |
| 7    | BRS<br>L7 | 92   | 429/35,36.ccls. and<br>((seal\$4 or gasket\$4<br>or bond\$4 or adhes\$5<br>or adher\$5) with<br>(spac\$4 or beads! or<br>spher\$4)) | USPA<br>T;<br>US-P<br>GPUB<br>;<br>EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/1<br>2 13:57 |          |                  | 0      |
| 8    | BRS<br>L8 | 84   | h01m008/10.ipc. and<br>((seal\$4 or gasket\$4<br>or bond\$4 or adhes\$5<br>or adher\$5) with<br>(spac\$4 or beads! or<br>spher\$4)) | USPA<br>T;<br>US-P<br>GPUB<br>;<br>EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/1<br>2 14:08 |          |                  | 0      |

|    | Type | L # | Hits | Search Text                  | DBs                                                         | Time Stamp           | Comments | Error Definition | Errors |
|----|------|-----|------|------------------------------|-------------------------------------------------------------|----------------------|----------|------------------|--------|
| 9  | BRS  | L9  | 63   | 8 not 7                      | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/1<br>2 14:44 |          |                  | 0      |
| 10 | BRS  | L11 | 456  | "silicone rtv"               | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/1<br>2 14:44 |          |                  | 0      |
| 11 | BRS  | L10 | 64   | "silicon rtv"                | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/1<br>2 14:50 |          |                  | 0      |
| 12 | BRS  | L12 | 4162 | silicon\$1 near5<br>hardness | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/1<br>2 14:51 |          |                  | 0      |

|    | Type | L # | Hits | Search Text                                                     | DBs                                                         | Time Stamp       | Comments | Error Definition | Errors |
|----|------|-----|------|-----------------------------------------------------------------|-------------------------------------------------------------|------------------|----------|------------------|--------|
| 13 | BRS  | L13 | 2700 | silicon\$1 same (hardness with (shore or durometer))            | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 15:11 |          |                  | 0      |
| 14 | BRS  | L14 | 1548 | silicon\$1 with (hardness with (shore or durometer))            | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 14:56 |          |                  | 0      |
| 15 | BRS  | L15 | 5    | 14 and 429/\$.cccls.                                            | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 14:54 |          |                  | 0      |
| 16 | BRS  | L16 | 28   | silicon\$1 with epoxy with (hardness with (shore or durometer)) | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 14:56 |          |                  | 0      |

| Type | L #     | Hits | Search Text                                                              | DBs                                                         | Time Stamp       | Comments | Error Definition | Errors |
|------|---------|------|--------------------------------------------------------------------------|-------------------------------------------------------------|------------------|----------|------------------|--------|
| 17   | BRS L17 | 179  | silicon\$1 same (hardness with low with (shore or durometer))            | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 15:17 |          |                  | 0      |
| 18   | BRS L18 | 155  | silicon\$1 same (modulus with (shore or durometer))                      | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 15:36 |          |                  | 0      |
| 19   | BRS L19 | 591  | h01m008/10.ipc. and (seal\$4 or gasket\$4 with (resilien\$3 or soft))    | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 15:38 |          |                  | 0      |
| 20   | BRS L20 | 590  | h01m008/10.ipc. and (seal\$4 or gasket\$4 near\$3 (resilien\$3 or soft)) | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/12 15:38 |          |                  | 0      |

| Type | L # | Hits   | Search Text                                                                      | DBs                                                         | Time Stamp           | Comments | Error Definition | Errors |
|------|-----|--------|----------------------------------------------------------------------------------|-------------------------------------------------------------|----------------------|----------|------------------|--------|
| 21   | BRS | L21 28 | h01m008/10.ipc. and<br>((seal\$4 or gasket\$4)<br>with (resilien\$3 or<br>soft)) | USPA<br>T;<br>US-P<br>GPUB<br>; EPO;<br>JPO;<br>DERW<br>ENT | 2002/06/1<br>2 15:38 |          |                  | 0      |